

If you have questions regarding the exercises, please ask them on the mailing list.
Please hand in your solutions in the lecture or by sending them to fkosmale@mpi-inf.mpg.de.
Do *not* send them to the public mailing list.
The due date is listed on the website.

Exercise 1: It's a Colorful Life

Task 1: How the Colors Get into the Trees

- a) Change the Cole-Vishkin algorithm from the lecture so that it requires only $1/2 \cdot \log^* n + \mathcal{O}(1)$ rounds. The result should still be a message passing algorithm, so don't use pointer jumping!

Hint: Compare what information can be gathered locally in T rounds to what the Cole-Vishkin algorithm actually relies on.

- b) Find a message passing algorithm that 3-colors a rooted tree, i.e., a tree in which each non-root node initially knows which neighbor is its parent, in $\log^* n + \mathcal{O}(1)$ rounds.

Hint: Leverage the same observation as for part a).

- c) Show how to $(\Delta + 1)$ -color a graph of maximum degree $\Delta \in \mathcal{O}(1)$ in $\log^* n + \mathcal{O}(1)$ rounds.

Hint: Decompose the graph into Δ collections of rooted trees.

Task 2: Sorry, but they just all look alike to me!

Given a graph $G = (V, E)$, an *independent set* $I \subseteq V$ satisfies that there is no edge $e \in E$ so that $e \subseteq I$, i.e., I contains no pair of neighbors in the graph. A *maximal independent set (MIS)* is an independent set $I \subseteq V$ such that $I \cup \{v\}$ is not independent for any $v \in V \setminus I$.

Suppose that in the doubly linked list, we want to join nodes to sublists of 2 or 3 nodes under control of the same processor.

- a) Show that an MIS algorithm (i.e., one that computes an MIS) can be used to construct such sublists using $\mathcal{O}(1)$ additional rounds!
- b) Show that an algorithm computing such sublists can be used to compute an MIS in $\mathcal{O}(1)$ additional rounds!
- c) Show that an algorithm computing a 3-coloring can be used to compute an MIS in $\mathcal{O}(1)$ additional rounds!
- d) Show that an algorithm computing an MIS can be used to compute a 3-coloring of the list in $\mathcal{O}(1)$ additional rounds!
- e) What can you infer about the time complexity of optimal algorithms for these tasks?
- f)* Show that an algorithm computing an MIS on arbitrary graphs can be used to compute a $(\Delta + 1)$ -coloring of a graph of maximum degree Δ !

Hint: Replace each node by a clique (a.k.a. complete graph) of $\Delta + 1$ nodes. Interpret each clique node as one of the possible colors of the original node. Add edges so that no adjacent cliques (original nodes) will have the same color if you compute an MIS of the new graph. Let each node simulate its entire clique in the MIS algorithm.

Task 3*: Confusing the NSA

- a) If you want to participate in this, send a mail to Fabian. by Sunday evening. He'll provide you with your node ID.
- b) Be a node in the Cole-Vishkin algorithm, executed by email! Send all messages you want to send to Fabian, addressed either to your *predecessor* or *successor*, who will forward them. The catch: There is *no* guarantee when they will be forwarded, or in which order! Send a termination message with your final color to Stephan when you think you are done. He'll ignore you from then on, but that's the only way you can output something!
 - You may add additional information to your message to deal with this issue, but keep it as simple as possible!
 - Don't talk strategies beforehand, and don't talk about who is which node offline. Where's the fun in that?
 - Agree in the exercise session on whether you'd like to reduce the number of colors to 3 for additional challenge.
 - Concerning encoding: Suppose you want to encode the 6-th index, plus bit b , then write $110b$ (most significant bit is left, just as with base-10 digits; special bit appended to the right). Let us define that our indices start at zero, so the 0-th digit of 110 is 0, and the 1-st is 1.
- c) Discuss the (ideally hilarious) results in the exercise session!